

### **Product Description**

S-OIL 7 4T SCOOTER is fully synthetic engine oil specially designed for use in high performance 4-stroke motorcycle. Its high viscosity index and purity provide excellent oxidation stability and cleanliness of engine. And its low friction property is suitable for motorcycles like scooters and mopeds.

## **Applications**

- O Recommended for the modern 4-stroke motorcycle engines such as scooters and mopeds
- $\ensuremath{\mathsf{O}}$  Not recommended for use in wet clutch application
- O Adapted for gear boxes lubrication and dry clutches such as CVT technology
- O Suitable for bikes where API SN (and below) and JASO MB specification are recommended

#### Features and potential benefits

- Full synthetic base oil\* helps maintain oils initial conditions thanks to good stability and high viscosity index \*) S-OIL manufactures high quility API Group III base oil named "ULTRA-S" and provides it globally.
- O Ultra-S's good quality provides long engine life and low costs for maintenance (But manufactures' recommended oil change intervals must be complied with)
- Excellent engine and major parts lubrication and protection in all severe condition including normal daily urban or rural traffic (long trips, short commuting and stop and go conditions)
- O Lower friction factor proved by official friction test (SAE No.2) gives good transmission performance and fuel economy improvement

#### **Performance level**

- API (AMERICAN PETROLEUM INSTITUE) : API SN
- O JASO (JAPANESE AUTOMOTIVE STANDARDS ORGANIZATION) : JASO MB

# **Typical Properties**

Test Items		Method	Unit	10W-30	10W-40
Specific gravity		ASTM D1298	-	0.8520	0.8519
Viscosity	<b>40</b> ℃	ASTM D445	cSt	64.7	90.6
	<b>100°</b> C	ASTM D445	cSt	10.4	14.0
Viscosity index		ASTM D2270	-	148	159
Flash point		ASTM D92	°C	248	244
Pour point		ASTM D97	°C	-34	-34

S-OIL CORPORAITON 192, Baekbeom-ro, Mapo-gu, Seoul, 04196, Korea

S-OIL SEVEN 4T SCOOTER 2015.2.12.



This lubricant used as recommended and for the application for which it has been designed does not present any particular risk. A material safety data sheet is obtainable via your commercial adviser.