

S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14

Revision Date: 2016-04-14

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product nameS-OIL SEVEN GOLD FE 5W-30Pure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

lubricant

1.3. Details of the supplier of the safety data sheet

Supplier

S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

For further information, please contact:

Contact Point E-mail Address

1.4. Emergency telephone number

Korea

+ 82 2 3772-5733

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification Not Classified

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s)	Not Classified
Signal Words	Not Classified

2.3. GHS Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified

2.4. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

Version GHS



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14

Revision Date: 2016-04-14

Version 1

Environmental properties

Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Severely hydrogenated heavy paraffinic distillate	64742-54-7	265-157-1	80.0 ~ 83.0
Mixed Performance Additive	-	-	10.0 ~ 15.0
Viscosity Modifier Additive	-	-	3.0 ~ 8.0
Polymer Esters of Methacrylic Acid and Mixed Mixed long chain Alcohols	-	-	< 0.5
Polymerized dimethyl silicone fluid	-		< 0.1

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.		
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.		
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.		
Inhalation	Move to fresh air.		
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.		
4.2. Most important symptoms a	nd effects, both acute and delayed		
Eye contact	Not classified.		
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.		
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.		
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.		
4.3. Indication of immediate medical attention and special treatment needed, if necessary			

Treat symptomatically.



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14

Revision Date: 2016-04-14

Version 1

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media		
Suitable extinguishing media	CO2, dry chemical, dry sand, alcohol-resistant foam.	
Unsuitable extinguishing media	No information available	
5.2. Special hazards arising from	the substance or mixture	
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.	
5.3. Advice for fire-fighters		
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.	
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
6.2. Environmental precautions	
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
Methods for containment	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
6.4. Reference to other sections	
Personal Protective Equipment	See Section 8 for more detail.
Waste treatment	See section 13.
7. HANDLING AND STORAGE	

7.1. Precautions for safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid Version GHS



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-0	4-14 Revision Date: 2016-04-14	Version		
	contact with skin, eyes and clothing.			
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/ containers, tanks and transfer/receiving equipment.	'bond		
Hygiene measures	risk of contact with the product. Regular cleaning of equipment, w clothing is recommended. Wash hands before breaks and immed handling the product. Do not use abrasives, solvents or fuels. Do	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.		
7.2. Conditions for safe stora	age, including any incompatibilities			
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a k Keep container tightly closed. Keep preferably in the original cont Otherwise reproduce all indication of the regulation label on the n Do not remove the hazard labels of the containers (even if they a Design the installations in order to avoid accidental emissions of seal breakage, for example) onto hot casings or electrical contac frost, heat and sunlight. Protect from moisture.	tainer. new container. nre empty). product (due to		
Materials to Avoid	Strong oxidizing agents.			
7.3. Specific end uses				
	RSONAL PROTECTION			
	RSONAL PROTECTION			
8. EXPOSURE CONTROLS/PE	RSONAL PROTECTION			
8. EXPOSURE CONTROLS/PE 8.1. Control parameters	RSONAL PROTECTION oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours			
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits				
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend	oil mist : 10mg/m₃, for 15 minutes; oil mist : 5mg/m₃, for 8 hours			
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls	oil mist : 10mg/m₃, for 15 minutes; oil mist : 5mg/m₃, for 8 hours			
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls	oil mist : 10mg/m₃, for 15 minutes; oil mist : 5mg/m₃, for 8 hours	e that there is		
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational expose When working in confined spaces (tanks, containers, etc.), ensur	e that there is		
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational expose When working in confined spaces (tanks, containers, etc.), ensur	e that there is equipment. appropriate		
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Coccupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If P S Respiratory protection V a (I)	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational expose When working in confined spaces (tanks, containers, etc.), ensur a supply of air suitable for breathing and wear the recommended the product is used in mixtures, it is recommended that you contact the a rotective equipment suppliers. These recommendations apply to th	e that there is equipment. appropriate he product as ust use our/particulate		
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If P Respiratory protection V	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational expose When working in confined spaces (tanks, containers, etc.), ensur a supply of air suitable for breathing and wear the recommended the product is used in mixtures, it is recommended that you contact the a rotective equipment suppliers. These recommendations apply to the upplied. When workers are facing concentrations above the exposure limit they mu propriate certified respirators. Respirator with combination filter for vapo EN 14387). The use of breathing apparatus must comply strictly with the recommended	e that there is equipment. appropriate he product as ust use our/particulate		
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls Engineering Measures Personal Protective Equipment General Information If P Respiratory protection V Image: Eye Protection Image: Eye Protection	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours See section 16. Apply technical measures to comply with the occupational expose When working in confined spaces (tanks, containers, etc.), ensur a supply of air suitable for breathing and wear the recommended the product is used in mixtures, it is recommended that you contact the a rotective equipment suppliers. These recommendations apply to the upplied. When workers are facing concentrations above the exposure limit they mu propriate certified respirators. Respirator with combination filter for vapo EN 14387). The use of breathing apparatus must comply strictly with the ristructions and the regulations governing their choices and uses.	e that there is equipment. appropriate he product as st use our/particulate manufacturer's		

Version GHS



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14

Revision Date: 2016-04-14

Version 1

instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		Yellow to amber liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	Values	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Flash point Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	856.2 kg/m ₃ Negligible >250 °C 9.99 mm2/s Not explosive Not applicable Not applicable	No information available No information available No information available No information available @ 15 °C Insoluble No information available No information available @ 100 °C	Cleveland Open Cup (COC)

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14

Revision Date: 2016-04-14

Version 1

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Product None under normal use.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. LD50 > 5000mg/kg (Rat, Oral), Practically non-toxic. . LD50 > 5000mg/kg (Rabbit, Dermal), Practically non-toxic.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Severely hydrogenated heavy paraffinic distillate	LD50 > 5000mg/kg(Rat)	LD50 > 5000mg/kg(Rabbit)	-
Mixed Performance Additive	LD50 > 2600mg/kg / LD50 > 5000mg/kg(Rat, OECD 401)	LD50 > 3160mg/kg(OECD 402) / LD50 > 2000mg/kg(Rat, OECD 402)	-
Viscosity Modifier Additive	LD50 > 5000mg/kg	LD50 > 5000mg/kg	LC50 > 50mg/L
Polymer Esters of Methacrylic Acid and Mixed Mixed long chain Alcohols	LD50 > 2000mg/kg(Rat)	LD50 > 2000mg/kg(Rabbit)	-

Sensitization

Sensitization

Not classified as a sensitizer.

Specific effects

Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	

Target Organ Effects (STOT)

No information available.



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14

Revision Date: 2016-04-14

Version 1

Other information

Other adverse effects

Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish
Severely hydrogenated heavy paraffinic distillate	EC50 > 1000mg/L (96hr Scenedesmus subspicatus)	EC50 > 1000mg/L (48hr, Daphnia magna)	LC50 > 5000mg/L (96hr Oncorhynchus mykiss)
Mixed Performance Additive	EbC50 > 2.1mg/L (96hr Selenastrum capricornutum - OECD 201) / EbC50 > 100mg/L (72hr Desmodesmus subspicatus- OECD 201)	EC50 > 5.4mg/L (48hr, Daphnia magna - OECD 202) / EC50 > 100mg/L (48hr, Daphnia magna - OECD 202)	LC50 > 4.5mg/L (96hr Pimephales promelas - OECD 203) / LC50 > 100mg/L (96hr Danio rerio- OECD 203)
Viscosity Modifier Additive	-	-	LC50 > $100 \text{mg/} \ell$ (Acute)

Effects on terrestrial organisms

No information available.

12.2. Persistence and degradability

General Information

No information available.

12.3. Bioaccumulative potential

Product Information	No information available.
logPow	No information available
Component Information	No information available.

<u>12.4. Mobility in soil</u>

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information

No information available

13. DISPOSAL CONSIDERATIONS



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14Revision Date: 2016-04-14Version 1

13.1. Waste treatment methods			
Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.		
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.		
14. TRANSPORT INFORMATION			
ADR/RID	Not regulated		
IMDG/IMO	Not regulated		
ICAO/IATA	Not regulated		
ADN	Not regulated		

15. REGULATORY INFORMATION

<u>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</u>

International Inventories

EINECS/ELINCS TSCA KECL Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances

Further information 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section 8			
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen



S-OIL SEVEN GOLD FE 5W-30

Date of the previous version: 2016-04-14		Revision Date: 2016-04-14		Version 1	
M:	Mutagen		R:	Toxic to reproduction	
Revision Date: Revision Note		2016-04-14 *** Indicates update	ed section.		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet