

S-OIL SEVEN RED1 5W30

Date of the previous version: 2014-08-01

Revision Date: 2014-08-01

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product nameS-OIL SEVEN RED1 5W30Pure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Gasoline Engine Oil

1.3. Details of the supplier of the safety data sheet

Supplier S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

For further information, please contact:

Contact Point E-mail Address

wonil.lee@s-oil.com

1.4. Emergency telephone number

Korea

+ 82 2 3772-5734

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s) Not	Classified
---------------	------------

Signal Words Not Classified

2.3. GHS Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified



S-OIL SEVEN RED1 5W30

Date of the previous version: 2014-08-01

Revision Date: 2014-08-01

Version 1

2.4. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

Environmental properties

Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Severely hydrogenated heavy paraffinic distillate	64742-54-7	265-157-1	87.5 ~ 91.4
Mixed Performance Additive	Mixture	-	8.0 ~ 10.5
Viscosity Modifier Additive	Mixture	-	0.4 ~ 1.0
Additive 1	Mixture	-	0.1 ~ 0.5
Additive 2	Mixture	-	0.1 ~ 0.5

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.	
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.	
Inhalation	Move to fresh air.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Eye contact	Not classified.	
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.	
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.	
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
4.3. Indication of immediate med	lical attention and special treatment needed, if necessary	



S-OIL SEVEN RED1 5W30

	Revision Date: 2014-08-01 Version
Notes to physician	Treat symptomatically.
5. FIRE-FIGHTING MEASURES	
5.1. Extinguishing media	
Suitable extinguishing media	CO2, dry chemical, dry sand, alcohol-resistant foam.
Unsuitable extinguishing media	No information available
5.2. Special hazards arising from	the substance or mixture
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.
5.3. Advice for fire-fighters	
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
6. ACCIDENTAL RELEASE MEASU	JRES
	JRES Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
6.1. Personal precautions, protect	Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all
6.1. Personal precautions, protec	Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses.
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information	 Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
6.1. Personal precautions, protect General Information 6.2. Environmental precautions	 Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for cor	 Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. Enternment and cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for cor Methods for containment	 Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. Enternment and cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information General Information 6.3. Methods and material for containment Methods for containment 6.4. Reference to other sections	 Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. Externation and cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

7.1. Precautions for safe handling



S-OIL SEVEN RED1 5W30

Date of the previous version: 2014-0	08-01 Revision Date: 2014-08-01	Version 1
Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.	
Prevention of fire and explosion	Take precautionary measures against static discharges. Grou containers, tanks and transfer/receiving equipment.	nd/bond
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.	
7.2. Conditions for safe stora	age, including any incompatibilities	
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in Keep container tightly closed. Keep preferably in the original Otherwise reproduce all indication of the regulation label on th Do not remove the hazard labels of the containers (even if the Design the installations in order to avoid accidental emissions seal breakage, for example) onto hot casings or electrical con- frost, heat and sunlight. Protect from moisture.	container. ne new container. ey are empty). of product (due to
Materials to Avoid	Strong oxidizing agents.	
7.3. Specific end uses		
8. EXPOSURE CONTROLS/PE	ERSONAL PROTECTION	
8.1. Control parameters		
Exposure limits	oil mist : 10mg/m³, for 15 minutes; oil mist : 5mg/m³, for 8 hou	irs
Legend	See section 16.	
8.2. Exposure controls		
Occupational Exposure Controls		
Engineering Measures	Apply technical measures to comply with the occupational ex When working in confined spaces (tanks, containers, etc.), er a supply of air suitable for breathing and wear the recommend	sure that there is
Personal Protective Equipment		
p	the product is used in mixtures, it is recommended that you contact the rotective equipment suppliers. These recommendations apply to upplied.	
	Vhen workers are facing concentrations above the exposure limit they	

Eye ProtectionIf splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.

Version GHS



S-OIL SEVEN RED1 5W30

Date of the previous version: 2014-08-01

Revision Date: 2014-08-01

Version 1

Hand Protection Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Color		yellow To amber liquid Characteristic	
Property pH Boiling point/boiling range	Values	Remarks Not applicable Not applicable	Method
Flash point Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	242 °C 468 °F 853 kg/m ³ Negligible Not applicable 10.40mm ² /s Not explosive Not applicable Not applicable	No information available No information available No information available @ 15 °C Insoluble No information available No information available @ 100 °C	Cleveland Open Cup (COC) Cleveland Open Cup (COC)

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid



S-OIL SEVEN RED1 5W30

Date of the previous version: 20	14-08-01	Revision Date: 2014-08-01	Version 1
Conditions to Avoid	Heat (temperatures	above flash point), sparks, ignition points, flames, s	static electricity.
10.5. Incompatible Mater	ials		
Materials to Avoid	Strong oxidizing age	nts.	
10.6. Hazardous Decomp	osition Products		
Hazardous Decomposition Product	None under normal u	JSe.	
11. TOXICOLOGICAL INF	ORMATION		
11.1. Information on toxi Acute toxicity Local effects Proc			

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. Not classified.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Severely hydrogenated heavy paraffinic distillate	LD50 > 5,000mg/kg (Rat)	LD50 > 5,000mg/kg (Rabbit)	
Mixed Performance Additive	LD50 > 10,000mg/kg (Rat)	LD50 > 2,000mg/kg (Rabbit)	
Viscosity Modifier Additive	LD50 > 5,000mg/kg (Rat)	LD50 > 2,000mg/kg (Rabbit)	
Additive 1	LD50 > 10,000mg/kg (Rat)	LD50 > 2,000mg/kg (Rabbit)	

Eye contact

Weak to moderate eye irritant. Does not meet Canadian D2B or EU R36 criteria. Based Mixed Performance Additive on data from components or similar materials. Vapors formed from heating may cause eye irritation. Additive 1 Weak to moderate eye irritant. Does not meet EU R36 criteria. Based on data from similar materials. **Sensitization** Sensitization Not classified as a sensitizer. Specific effects Carcinogenicity This product is not classified carcinogenic. Mutagenicity This product is not classified as mutagenic. **Reproductive toxicity** This product does not present any known or suspected reproductive hazards. **Repeated Dose Toxicity**

Subchronic toxicity

No information available.



S-OIL SEVEN RED1 5W30

Date of the previous version: 2014-0	8-01 Revision Date: 2014-08-01	Version 1
Target Organ Effects (STOT)		
Target Organ Effects (STOT)	No information available.	
Other information		
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and r exposures (contact with contaminated clothing).	epeated

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Acute aquatic toxicity - Product Information No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Mixed Performance Additive		EC50 10-100mg/L	LC50 10-100mg/L	
Viscosity Modifier Additive			LC50 >1,000mg/L	EC50 >1,000mg/L
Additive 1	EC50 10-100mg/L	EC50 1-10mg/L		
Additive 2			LC50 100-1,000mg/L	

Chronic aquatic toxicity - Product Information No information available.

Chronic aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Mixed Performance Additive		EC50 1-10mg/L		
Additive 1		EC50 10-100mg/L		

Effects on terrestrial organisms No information available.

12.2. Persistence and degradability

Chemical Name	Biodegradation	
Mixed Performance Additive	Min 25% (OECD 301)	
Viscosity Modifier Additive	Min 25% (OECD 301)	
Additive 1	Min 25% (OECD 301, 302)	
General Information	No information available.	

No information available.

12.3. Bioaccumulative potential

Product Information	No information available.
logPow	No information available
Component Information	No information available.

12.4. Mobility in soil



S-OIL SEVEN RED1 5W30

Date of the previous version: 2014	-08-01 Revision Date: 2014-08-01	Version 1	
Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.		
Air	Loss by evaporation is limited.		
Water	Insoluble. The product spreads on the surface of the water.		
12.5. Results of PBT and v	PvB assessment		
PBT and vPvB assessment	No information available.		
12.6. Other adverse effects	<u>s</u>		
General Information	No information available		
13. DISPOSAL CONSIDERA	TIONS		
13.1. Waste treatment met	hods		
Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance European Directives on waste and hazardous waste. Dispose of in ac regulations.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site disposal.	e for recycling or	
EWC Waste Disposal No.	The following Waste Codes are only suggestions: 13 01 10. Accordin Waste Catalogue, Waste Codes are not product specific, but applicat codes should be assigned by the user based on the application for was used.	ion specific. Waste	
14. TRANSPORT INFORMA	TION		
ADR/RID	Not regulated		
IMDG/IMO	Not regulated		
	Not regulated		
ADN	Not regulated		

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS/ELINCS TSCA
KECL Legend
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances



S-OIL SEVEN RED1 5W30

Date of the previous version: 2014-08-01

Revision Date: 2014-08-01

Version 1

Further information 15.2. Chemical Safety Assessment

Chemical Safety Assessment

16. OTHER INFORMATION Abbreviations, acronyms Legend Section 8 Sensitizer Skin designation + ** Hazard Designation C: Carcinogen M: Mutagen R: Toxic to reproduction **Revision Date:** 2014-08-01 **Revision Note** *** Indicates updated section.

No information available

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet