

**S-OIL MARINE TP 4040**

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Product name                                    S-OIL MARINE TP 4040  
Pure substance/mixture                        Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use                                Marine Oil.

**1.3. Details of the supplier of the safety data sheet**

Manufacturer                                    S-OIL TOTAL LUBRICANTS CO., LTD  
3F Ace Tower, 92 Tongil-ro, Jung-gu  
Seoul 100-712 Korea

For further information, please contact:

Contact Point  
E-mail Address

**1.4. Emergency telephone number**

Korea    +82 2 6320 2000

**2. HAZARDS IDENTIFICATION****2.1. Classification of the substance or mixture**

Classification  
Serious eye damage/eye irritation : Category 2  
Skin sensitization : Category 1  
Hazardous to the aquatic environment, chronic toxicity : Category 3

Symbol(s)

**2.2. Label elements**

Signal word                                        Warning

**2.3. hazards Statement**

H317    May cause an allergic skin reaction  
H319    Causes serious eye irritation  
H412    Harmful to aquatic life with long lasting effects

**2.4. Precautionary Statements**

P261    Avoid breathing dust/fume/gas/mist/vapours/spray.

# MATERIAL SAFETY DATA SHEET

## S-OIL MARINE TP 4040

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

P264	Wash ... thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see ... on this label).
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to (in accordance with local / regional / national / International regulation)

### 2.5. Other hazards

<b>Physical-Chemical Properties</b>	Contaminated surfaces will be extremely slippery.
<b>Environmental properties</b>	Should not be released into the environment.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Mixture

Chemical Name	CAS-No	EC-No	Weight %
SEVERELY HYDROTREATED HEAVY PARAFFINIC DISTILLATE	64742-54-7	-	65.0 ~ 70.0
RESIDUAL OILS (PETROLEUM), HYDROTREATED	64742-57-0	-	15.0 ~ 20.0
MIXED PERFORMANCE ADDITIVE	Mixture	-	10.0 ~ 15.0
ADDITIVE 1	Mixture	-	< 2.0

**Hazardous ingredients** Do not contain hazardous substance nor substance with European workplace exposure limits in concentration above regulatory thresholds

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

## 4. FIRST AID MEASURES

### 4.1. Description of first-aid measures

<b>General advice</b>	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids.
<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

**S-OIL MARINE TP 4040**

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

Call a physician or Poison Control Center immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**4.3. Indication of immediate medical attention and special treatment needed, if necessary**

Notes to physician                      Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****5.1. Extinguishing media**

Suitable extinguishing media	Carbon dioxide (CO <sub>2</sub> ). ABC powder. Foam. Water spray or fog.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

**5.2. Special hazards arising from the substance or mixture**

Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
----------------	--

**5.3. Advice for fire-fighters**

Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**6. ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
---------------------	--

**6.2. Environmental precautions**

General Information	Do not allow material to contaminate ground water system. Try to prevent the material from courses. Local authorities should be advised if significant spillages cannot be contained.
---------------------	---

**6.3. Methods and material for containment and cleaning up**

**S-OIL MARINE TP 4040**

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

**Methods for containment** Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

**6.4. Reference to other sections**

**Personal Protective Equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

**7. HANDLING AND STORAGE****7.1. Precautions for safe handling**

**Advice on safe handling** When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.

**Prevention of fire and explosion** Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

**7.2. Conditions for safe storage, including any incompatibilities**

**Technical measures/Storage conditions** Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

**Materials to Avoid** Strong oxidizing agents.

**7.3. Specific end uses****8. EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

**Exposure limits** No information available

**Legend** See section 16.

**8.2. Exposure controls****Occupational Exposure Controls**

**Engineering Measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal Protective Equipment**

## S-OIL MARINE TP 4040

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

<b>General Information</b>	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
<b>Respiratory protection</b>	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
<b>Eye Protection</b>	If splashes are likely to occur, wear:.. Safety glasses with side-shields.
<b>Skin and body protection</b>	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.
<b>Hand Protection</b>	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

### Environmental exposure controls

**General Information**                      The product should not be allowed to enter drains, water courses or the soil.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### **9.1. Information on basic physical and chemical properties**

Color		Dark brown	
Physical State @20°C		liquid	
Odor		Characteristic	
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks</u></b>	<b><u>Method</u></b>
pH		Not applicable	
Boiling point/boiling range		Not applicable	
Flash point	258 °C 496 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	899.8 kg/m <sup>3</sup>	@ 15 °C	
Water solubility		Soluble	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature		No information available	
Viscosity, kinematic	122.7 mm <sup>2</sup> /s	@ 40 °C	
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

### **9.2. Other information**

**Other Information**                      No information available.

## 10. STABILITY AND REACTIVITY

## S-OIL MARINE TP 4040

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

### **10.1. Reactivity**

General Information                      No information available.

### **10.2. Chemical stability**

Stability                                      Stable under recommended storage conditions.

### **10.3. Possibility of hazardous reactions**

Hazardous Reactions                      None under normal processing.

### **10.4. Conditions to Avoid**

Conditions to Avoid                      Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.)

### **10.5. Incompatible Materials**

Materials to Avoid                      Strong oxidizing agents.

### **10.6. Hazardous Decomposition Products**

Hazardous Decomposition Product                      CO, CO<sub>2</sub>, Carbon oxide.

## **11. TOXICOLOGICAL INFORMATION**

### **11.1. Information on toxicological effects**

#### **Acute toxicity Local effects Product Information**

**Skin contact**                                      . Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.

**Eye contact**                                      . Not classified.

**Inhalation**                                      . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system

**Ingestion**                                      . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### **Acute toxicity- Component Information**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
SEVERELY HYDROTREATED HEAVY PARAFFINIC DISTILLATE	LD50 > 15000mg/kg (Rat)	LD50 > 5000mg/kg (Rabbit)	-

#### **Sensitization**

Chemical Name	Sensitization
MIXED PERFORMANCE ADDITIVE	Eye : Contact with the eyes causes permanent damage, including blindness. Symptoms may include pain, tearing, reddening, swelling and impaired vision. If this material is heated, thermal burns may result from eye contact.

## S-OIL MARINE TP 4040

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

<b>MIXED PERFORMANCE ADDITIVE (EYE)</b>	Skin : Repeated contact with the skin may cause irritation. Symptoms may include pain, itching, discoloration, swelling, and blistering. Contact with the skin is not expected to cause an allergic skin response. Not expected to be harmful to internal organs if absorbed through the skin. If this material is heated, thermal burns may result from skin contact.
---	--

### Specific effects

**Carcinogenicity** This product is not classified carcinogenic.  
**Mutagenicity** This product is not classified as mutagenic.  
**Reproductive toxicity** This product does not present any known or suspected reproductive hazards.

### Repeated Dose Toxicity

**Subchronic toxicity** No information available.

### Target Organ Effects (STOT)

**Target Organ Effects (STOT)** No information available.

### Other information

**Other adverse effects** Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

## 12. ECOLOGICAL INFORMATION

### **12.1. Toxicity**

#### Aquatic toxicity - Product Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish
<b>DISTILLATES,PETROLEUM, HYDROTREATED HEAVY PARAFFINIC</b>	LC50 >1000mg/L 96hr	LC50 >1000mg/L 48hr	LC50 >1000mg/L 96hr

#### **Effects on terrestrial organisms**

No information available.

#### **General Information**

No information available.

### **12.2. Persistence and degradability**

#### **General Information**

Persistence No information available.

degradability No information available.

#### **General Information**

No information available.

### **12.3. Bioaccumulative potential**

#### **Product Information**

**S-OIL MARINE TP 4040**

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

Chemical Name	Biodegradability
DISTILLATES,PETROLEUM, HYDROTREATED HEAVY PARAFFINIC	6% (28days)

**logPow****12.4. Mobility in soil**

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Soluble.

**12.5. Results of PBT and vPvB assessment**

PBT and vPvB assessment No information available.

**12.6. Other adverse effects**

General Information No information available

**13. DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No.	The following Waste Codes are only suggestions: 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**14. TRANSPORT INFORMATION**

<b>ADR/RID</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated
<b>ICAO/IATA</b>	Not regulated
<b>ADN</b>	Not regulated

**15. REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**



---

**S-OIL MARINE TP 4040**

Date of the previous version: 2015-12-18

Revision Date: 2017-04-06

Version 2

---

**European Union****International Inventories**

No information available

**Further information****15.2. Chemical Safety Assessment**

Chemical Safety Assessment      No information available

**16. OTHER INFORMATION****Abbreviations, acronyms**

Legend Section 8

+	Sensitizer	*	Skin designation
**	Hazard Designation	*** :	Trade secret
M:	Mutagen	C:	Carcinogen

**Revision Date:** 2017-04-06**Revision Note**      \*\*\* Indicates updated section.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet