

S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22

Revision Date: 2018-02-22

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	S-OIL PROCESS OIL 100+
Pure substance/mixture	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Process oil.

1.3. Details of the supplier of the safety data sheet

Manufacturer	S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea
Supplier	S-OIL TOTAL LUBRICANTS CO., LTD 3F Ace Tower, 92 Tongil-ro, Jung-gu Seoul 100-712 Korea
For further information, please con	tact:

further information, please contact:

Contact Point	HSSEQ
E-mail Address	dolyoo@s-oil-total.com

<u>1.4. Emergency telephone number</u>

Korea

+82 2 6320 2000

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification

Aspiration hazard : Category 1

Symbol(s)



2.2. Label elements

Signal word

Danger

2.3. hazards Statement

H304

May be fatal if swallowed and enters airways

2.4. Precautionary Statements

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22	Revision Date: 2018-02-22	Version 1	
P331	Do NOT induce vomiting.		
P405	Store locked up.		
P501	Dispose of contents/container to follow the relevant regulations.		
2.5. Other hazards			
Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.		
Environmental properties	Should not be released into the environment.		

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixture

Chemical Nam	e	CAS-No	EC-No	Weight %
SEVERELY HYDROTREATED HEAVY PARAFFINIC DISTILLATE		64742-54-7	-	100
Hazardous ingredients		ntain hazardous substa limits in concentration		ith european workplace sholds
	Product containing mineral oil with less than 3% DMSO extract as measured by IP 346			

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22

Revision Date: 2018-02-22

Version 1

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media	Carbon dioxide (CO 2). ABC powder. Foam. Water spray or fog.

Unsuitable extinguishing media Do not uses a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.	
5.3. Advice for fire-fighters	<u>6</u>	
Special protective equipment for fire-fighters	Wear self-contained breathing apparatus and protective suit.	
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely
	slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all
	sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

 Methods for containment
 Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal Protective Equipment	See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling



S-OIL PROCESS OIL 100+

Date of the previous version: 207	8-02-22	Revision Date: 2018-02-22	Version 1
Advice on safe handling		at, drink or smoke. For personal protection see as. Do not breathe vapors or spray mist. Avoid	
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.		
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets		and clothing is andling the product. that have been
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures/Storage conditions	container tightly close indication of the regul of the containers (eve accidental emissions	, drink and animal feedingstuffs. Keep in a bur ed. Keep preferably in the original container. O ation label on the new container. Do not removen if they are empty). Design the installations in of product (due to seal breakage, for example otect from frost, heat and sunlight. Protect from	therwise reproduce all ve the hazard labels n order to avoid) onto hot casings or

Materials to Avoid

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Strong oxidizing agents.

8.1. Control parameters

Exposure limits	oil mist : 10mg/m ³ , for 15 minutes; oil mist : 5mg/m ³ , for 8 hours
Legend	See section 16.
8.2. Exposure controls	
Occupational Exposure Controls	
Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Personal Protective Equipment	
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	None under normal use conditions. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22

Revision Date: 2018-02-22

Version 1

Hand Protection Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		Bright and clear liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	<u>Values</u>	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Flash point	224 °C 435 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC))
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic	836kg/m₃ 19.47mm²/s	No information available No information available No information available No information available @ 15 °C Insoluble No information available No information available No information available @ 40 °C	
Explosive properties	Not explosive		
Oxidizing Properties Possibility of hazardous reactions	Not applicable Not applicable		

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.)



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22

Revision Date: 2018-02-22

Version 1

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Product None under normal use.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.	
Eye contact	. Not classified.	
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system	
Ingestion	. Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Acute toxicity- Component Information		
Sensitization		
Sensitization	Not classified as a sensitizer.	
Specific effects		
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.	
Repeated Dose Toxicity		
Subchronic toxicity	No information available.	
Target Organ Effects (STOT)		
Target Organ Effects (STOT)	No information available.	
Other information		
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).	

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22

Revision Date: 2018-02-22

Version 1

<u>Acute aquatic toxicity - Product Information</u> No information available.

Acute aquatic toxicity - Component Information No information available.

<u>Chronic aquatic toxicity • Product Information</u> No information available.

<u>Chronic aquatic toxicity • Component Information</u> No information available.

Effects on terrestrial organisms No information available.

General Information

No information available.

12.2. Persistence and degradability

General Information

Persistence	No information available.	
degradability	No information available.	

12.3. Bioaccumulative potential

Product Information	No information available.		
logPow	No information available		

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or Version GHS



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22 Revision Date: 2018-02-22 Version 1 disposal. EWC Waste Disposal No. The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. **14. TRANSPORT INFORMATION** ADR/RID Not regulated IMDG/IMO Not regulated ICAO/IATA Not regulated ADN Not regulated

15. REGULATORY INFORMATION

<u>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</u>

European Union

International Inventories

EINECS/ELINCS TSCA KECL AICS DSL IECSC ENCS ECL NZIOC PICCS

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3 No information available

Abbreviations, acronyms

Legend Section 8

+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction



S-OIL PROCESS OIL 100+

Date of the previous version: 2018-02-22

Revision Date: 2018-02-22

Version 1

 Revision Date:
 2018-02-22

 Revision Note
 *** Indicates updated section.

 This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet