

DRAGON CD 10W

Date of the previous version: 2013-07-30

Revision Date: 2014-08-06

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product nameDRAGON CD 10WPure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Diesel engine oil

1.3. Details of the supplier of the safety data sheet

Supplier S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

For further information, please contact:

1.4. Emergency telephone number

Korea

+ 82 2 3772-5733

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

2.2. Label elements

GHS label elements, including	precautionary statements
-------------------------------	--------------------------

Symbol(s)	Not Classified
-----------	----------------

Signal Words Not Classified

2.3. GHS Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified

2.4. Other hazards

Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.
Environmental properties	Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS



DRAGON CD 10W

Date of the previous version: 2013-07-30

Revision Date: 2014-08-06

Version 3

3.2. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Severely hydrogenated heavy paraffinic distillate	64742-54-7	265-157-1	90.0 ~ 95.0
Zinc Aalkyl Dithiophosphate Copolymer Mixed Performance Additive	Mixture	-	2.0 ~ 6.0
Calcium Long Chain Alkaryl Sulphonate Copolymer Mixed Performance Additive	Mixture	-	1.0 ~ 3.0
ACRYLIC COPOLYMER FLUID	Mixture	-	0.2 ~ 0.5
Polymerized Dimethyl Silicone Fluid	Mixture	-	0.01 ~ 0.02

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
4.2. Most important syr	nptoms and effects, both acute and delayed
Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Indication of imme	diate medical attention and special treatment needed, if necessary

Notoc	+0	nhyciolon
notes	ω	physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES



DRAGON CD 10W

Date of the previous version: 2013-07-30	Revision Date: 2014-08-06 Version		
5.1. Extinguishing media			
Suitable extinguishing media	CO2, dry chemical, dry sand, alcohol-resistant foam.		
Unsuitable extinguishing media	No information available		
5.2. Special hazards arising from	the substance or mixture		
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.		
5.3. Advice for fire-fighters			
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.		
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire		
	extinguishing water must be disposed of in accordance with local regulations.		
6. ACCIDENTAL RELEASE MEASU			
6.1. Personal precautions, protec	JRES		
6.1. Personal precautions, protec General Information	JRES Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all		
6.1. Personal precautions, protec General Information 6.2. Environmental precautions	JRES Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all		
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information	JRES Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.		
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for cor	JRES Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.		
 6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for cor Methods for containment 	JRES Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).		
6. ACCIDENTAL RELEASE MEASU 6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information General Information 6.3. Methods and material for cort Methods for containment 6.4. Reference to other sections Personal Protective Equipment	JRES Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).		

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid
	contact with skin, eyes and clothing.



DRAGON CD 10W

Date of the previous version: 2013-	07-30 Revision Date: 2014-08-06	Version 3
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bon containers, tanks and transfer/receiving equipment.	d
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hand with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.	
7.2. Conditions for safe stor	age, including any incompatibilities	
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunc Keep container tightly closed. Keep preferably in the original container Otherwise reproduce all indication of the regulation label on the new Do not remove the hazard labels of the containers (even if they are e Design the installations in order to avoid accidental emissions of proc seal breakage, for example) onto hot casings or electrical contacts. F frost, heat and sunlight. Protect from moisture.	er. container. mpty). duct (due to
Materials to Avoid	Strong oxidizing agents.	
7.3. Specific end uses		
8. EXPOSURE CONTROLS/P	ERSONAL PROTECTION	
8.1. Control parameters		
Exposure limits	oil mist : $10mg/m_3$, for 15 minutes; oil mist : $5mg/m_3$, for 8 hours	
Legend	See section 16.	
8.2. Exposure controls		
Occupational Exposure Controls		
Engineering Measures	Apply technical measures to comply with the occupational exposure When working in confined spaces (tanks, containers, etc.), ensure th a supply of air suitable for breathing and wear the recommended equ	at there is
Personal Protective Equipment		
I	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.	
	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.	
Eye Protection	f splashes are likely to occur, wear:. Safety glasses with side-shields.	
Skin and body protection	Near suitable protective clothing. Protective shoes or boots. Long sleeved clo	thing.
i	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe to nstructions regarding permeability and breakthrough time which are provided supplier of the gloves. Also take into consideration the specific local conditions which the product is used, such as the danger of cuts, abrasion. If used in solu	by the s under



DRAGON CD 10W

Date of the previous version: 2013-07-30

Revision Date: 2014-08-06

Version 3

mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Color		Yellow To amber liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	Values	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Flash point	216 °C 421 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow	880 kg/m₃ Negligible	No information available No information available No information available @ 15 °C Insoluble No information available No information available	
Autoignition temperature Viscosity, kinematic	>250 °C 6.500 mm2/s 40.30 mm2/s	@ 100 °C @ 40 °C	
Explosive properties Oxidizing Properties Possibility of hazardous reactions	Not explosive Not applicable Not applicable		

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials



DRAGON CD 10W

Date of the previous version: 2013-07-30 Revision Date: 2014-08-06 Version 3 Materials to Avoid Strong oxidizing agents. **10.6. Hazardous Decomposition Products Hazardous Decomposition Product** None under normal use. **11. TOXICOLOGICAL INFORMATION <u>11.1. Information on toxicological effects</u>** Acute toxicity Local effects Product Information Skin contact . Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent. . LD50 > 5000mg/kg (Rabbit, Dermal), Practically non-toxic. Eye contact . Not classified. Inhalation . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system. Ingestion . LD50 > 5000mg/kg (Rat, Oral), Practically non-toxic. **Acute toxicity - Component Information Sensitization** Sensitization Not classified as a sensitizer. Specific effects This product is not classified carcinogenic. Carcinogenicity Mutagenicity This product is not classified as mutagenic. **Reproductive toxicity** This product does not present any known or suspected reproductive hazards. **Repeated Dose Toxicity** Subchronic toxicity No information available. Target Organ Effects (STOT) No information available. **Target Organ Effects (STOT)** Other information Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

LC 50	No information available.
EC 50	No information available.
IC 50	No information available.
Effects on terrestrial organisms	No information available.



Page 7 / 8

MATERIAL SAFETY DATA SHEET

DRAGON CD 10W

Date of the previous version: 20	013-07-30	Revision Date: 2014-08-06	Version 3		
12.2. Persistence and degradability					
General Information	No information ava	lable.			
12.3. Bioaccumulative potential					
Product Information	No information ava	lable.			
logPow	No information ava	lable			
Component Information	No information ava	lable.			
<u>12.4. Mobility in soil</u>					
Soil	Given its physical a mobility.	nd chemical characteristics, the product generally shows lo	ow soil		
Air	Loss by evaporatio	n is limited.			
Water	Insoluble. The prod	uct spreads on the surface of the water.			
12.5. Results of PBT and vPvB assessment					

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information

No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION			
ADR/RID	Not regulated		
IMDG/IMO	Not regulated		
ICAO/IATA	Not regulated		
ADN	Not regulated		
15. REGULATORY INFORMATION			



DRAGON CD 10W

Date of the previous version: 2013-07-30

Revision Date: 2014-08-06

Version 3

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS/ELINCS TSCA KECL Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section 8				
+ Sensitizer		*	Skin designation	
**	Hazard Designation	C:	Carcinogen	
M:	Mutagen	R:	Toxic to reproduction	
Revision Date: Revision Note	2014-08-06 *** Indicates updated section.			

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet