

# DRAGON GEAR HD 80W90

Date of the previous version: 2009-01-08

Revision Date: 2018-04-25

Version 3

### **1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

### **1.1. Product identifier**

Product name DRAGON GEAR HD 80W90
Pure substance/mixture Mixture

#### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Gear & Axle oil

### **1.3. Details of the supplier of the safety data sheet**

Supplier S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

#### For further information, please contact:

Contact Point	HSSEQ
E-mail Address	dolyoo@s-oil-total.com

### **1.4. Emergency telephone number**

Korea

+ 82 2 3772-5733

### 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**GHS Classification** 

### **2.2. Label elements**

GHS label elements, including precautionary statements

Symbol(s) Not Classified

Signal Words Not Classified

### **2.3. GHS Hazard Statements**

Not classified.

#### **2.4. GHS Precautionary Statements**

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified



# **DRAGON GEAR HD 80W90**

Date of the previous version: 2009-01-08

Revision Date: 2018-04-25

Version 3

### 2.5. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

**Environmental properties** 

Should not be released into the environment

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Severely hydrogenated heavy paraffinic distillate	64742-54-7	265-157-1	92.0 ~ 98.0
Mixed Performance Additive	Mixture	-	2.0 ~ 7.0
Acrylic copolymer	Mixture	-	0.01 ~ 0.1

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

### **4. FIRST AID MEASURES**

4.1. Description of first-aid measures
--

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.
Inhalation	Move to fresh air.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
4.2. Most important symptoms a	nd effects, both acute and delayed
Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>4.3</b> Indication of immediate mod	lical attention and charies treatment needed, if near conv

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Treat symptomatically.



# DRAGON GEAR HD 80W90

Date of the previous version: 2009-01-08

Revision Date: 2018-04-25

Version 3

### 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media		
Suitable extinguishing media	CO2, dry chemical, dry sand, alcohol-resistant foam.	
Unsuitable extinguishing media	No information available	
5.2. Special hazards arising from the substance or mixture		
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.	
5.3. Advice for fire-fighters		
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.	
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

### **6. ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

General Information	Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.		
6.2. Environmental precautions			
General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.		
6.3. Methods and material for containment and cleaning up			
Methods for containment	Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.		
6.4. Reference to other sections			
Personal Protective Equipment	See Section 8 for more detail.		
Waste treatment	See section 13.		
7. HANDLING AND STORAGE			

### 7.1. Precautions for safe handling

When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid Version GHS



# DRAGON GEAR HD 80W90

Date of the previous version: 2009-0	1-08 <b>Revision Date:</b> 2018-04-25 <b>Ver</b>	sion
	contact with skin, eyes and clothing.	
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.	
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to risk of contact with the product. Regular cleaning of equipment, work area a clothing is recommended. Wash hands before breaks and immediately afte handling the product. Do not use abrasives, solvents or fuels. Do not dry ha with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.	and r
7.2. Conditions for safe stora	ge, including any incompatibilities	
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded are Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new contain Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (d seal breakage, for example) onto hot casings or electrical contacts. Protect frost, heat and sunlight. Protect from moisture.	ner. ue to
Materials to Avoid	Strong oxidizing agents.	
7.3. Specific end uses		
8. EXPOSURE CONTROLS/PE	RSONAL PROTECTION	
8. EXPOSURE CONTROLS/PE	RSONAL PROTECTION	
	RSONAL PROTECTION	
8.1. Control parameters	RSONAL PROTECTION oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours	
<b>8.1. Control parameters</b> Exposure limits		
<b>8.1. Control parameters</b> Exposure limits Legend	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours	
8. EXPOSURE CONTROLS/PE 8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours	
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours	
8.1. Control parameters Exposure limits Legend 8.2. Exposure controls Occupational Exposure Controls	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that ther	
8.1. Control parameters         Exposure limits         Legend         8.2. Exposure controls         Occupational Exposure Controls         Engineering Measures         Personal Protective Equipment         General Information       If	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that ther	t.
8.1. Control parameters         Exposure limits         Legend         8.2. Exposure controls         Occupational Exposure Controls         Engineering Measures         Personal Protective Equipment         General Information       If         ps         Respiratory protection       Waa         (E	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that ther a supply of air suitable for breathing and wear the recommended equipmen the product is used in mixtures, it is recommended that you contact the appropriate otective equipment suppliers. These recommendations apply to the product	t. et as ate
8.1. Control parameters         Exposure limits         Legend         8.2. Exposure controls         Occupational Exposure Controls         Engineering Measures         Personal Protective Equipment         General Information       If         p         Respiratory protection       Waited in the second se	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there a supply of air suitable for breathing and wear the recommended equipmen the product is used in mixtures, it is recommended that you contact the appropriate otective equipment suppliers. These recommendations apply to the product upplied. Then workers are facing concentrations above the exposure limit they must use propriate certified respirators. Respirator with combination filter for vapour/particula in 14387). The use of breathing apparatus must comply strictly with the manufactu	t. et as ate
8.1. Control parameters         Exposure limits         Legend         8.2. Exposure controls         Occupational Exposure Controls         Engineering Measures         Personal Protective Equipment         General Information       If         ps         Respiratory protection       Waa         (If         Eye Protection       If	oil mist : 10mg/m <sub>3</sub> , for 15 minutes; oil mist : 5mg/m <sub>3</sub> , for 8 hours See section 16. Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there a supply of air suitable for breathing and wear the recommended equipment the product is used in mixtures, it is recommended that you contact the appropriate otective equipment suppliers. These recommendations apply to the product upplied. When workers are facing concentrations above the exposure limit they must use oppropriate certified respirators. Respirator with combination filter for vapour/particula is 14387). The use of breathing apparatus must comply strictly with the manufactur structions and the regulations governing their choices and uses.	t. et as ate



# DRAGON GEAR HD 80W90

Date of the previous version: 2009-01-08

Revision Date: 2018-04-25

Version 3

supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

#### Environmental exposure controls

**General Information** 

The product should not be allowed to enter drains, water courses or the soil.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		Yellow to amber liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	<u>Values</u>	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Flash point Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	>=190 °C >=374 °F 887 kg/m <sup>3</sup> Negligible >250 °C 14.9 mm <sup>2</sup> /s Not explosive Not applicable Not applicable	No information available No information available No information available No information available @ 15 °C Insoluble No information available No information available @ 100 °C	Cleveland Open Cup (COC) Cleveland Open Cup (COC)

### 9.2. Other information

### **10. STABILITY AND REACTIVITY**

10.1. Reactivity		
General Information	No information available.	
10.2. Chemical stability		
Stability.	Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous Reactions	None under normal processing.	
10.4. Conditions to Avoid		

**Conditions to Avoid** 

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.



# DRAGON GEAR HD 80W90

 Date of the previous version: 2009-01-08
 Revision Date: 2018-04-25
 Version 3

 10.5. Incompatible Materials
 Materials to Avoid
 Strong oxidizing agents.

 10.6. Hazardous Decomposition Products
 Hazardous Decomposition Product None under normal use.
 11. TOXICOLOGICAL INFORMATION

 11.1. Information on toxicological effects
 11.1. Information on toxicological effects
 11.1. Information on toxicological effects

### Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. LD50 > 5000mg/kg (Rat, Oral), Practically non-toxic. . LD50 > 5000mg/kg (Rabbit, Dermal), Practically non-toxic.
Acute toxicity - Component Inform	nation
Sensitization	
Sensitization	Not classified as a sensitizer.
Specific effects	
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	
Target Organ Effects (STOT)	No information available.
Other information	
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

### **12. ECOLOGICAL INFORMATION**

### 12.1. Toxicity

LC 50	>1000 mg/l, 96 hrs, Fish
EC 50	>1000 mg/l, 48 hrs, Daphnia
IC 50	>1000 mg/l, 72 hrs, Algae



# DRAGON GEAR HD 80W90

Date of the previous version: 200	9-01-08	Revision Date: 2018-04-25	Version 3
Effects on terrestrial organisms	No information	available.	
12.2. Persistence and deg	<u>radability</u>		
General Information	No information available.		
12.3. Bioaccumulative po	<u>tential</u>		
Product Information	No information	available.	
logPow	No information available		
Component Information	No information available.		
<u>12.4. Mobility in soil</u>			
Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.		
Air	Loss by evapor	ration is limited.	
Water	Insoluble. The	product spreads on the surface of the water.	
12.5. Results of PBT and	vPvB assess	ment	
PBT and vPvB assessment	No information	available.	
12.6. Other adverse effec	<u>ts</u>		
General Information	No information	available	
13. DISPOSAL CONSIDER	ATIONS		
13.1. Waste treatment me	ethods		
Waste from Residues / Unused Products	Should not be European Direc regulations.	released into the environment. Dispose of in accordation of the environment of the second terms of ter	ance with the accordance with local
Contaminated packaging	Empty containe disposal.	ers should be taken to an approved waste handling	site for recycling or

**EWC Waste Disposal No.** The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

### **14. TRANSPORT INFORMATION**

ADR/RID	Not regulated
IMDG/IMO	Not regulated
ICAO/IATA	Not regulated
ADN	Not regulated



# DRAGON GEAR HD 80W90

Date of the previous version: 2009-01-08

Revision Date: 2018-04-25

Version 3

### **15. REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **International Inventories**

EINECS/ELINCS TSCA KECL Legend EINECS/ELINCS -

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances

### **Further information**

### **15.2. Chemical Safety Assessment**

Chemical Safety Assessment No information available

### **16. OTHER INFORMATION**

#### Abbreviations, acronyms

Legend Section 8			
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction
Revision Date: Revision Note	2018-04-25 *** Indicates updated section.		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet