

DRAGON SG 20W50

Date of the previous version: 2015-01-08

Revision Date: 2018-04-25

Version 2

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product nameDRAGON SG 20W50Pure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Gasoline engine oil

1.3. Details of the supplier of the safety data sheet

Supplier S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

For further information, please contact:

Contact Point	HSSEQ
E-mail Address	dolyoo@s-oil-total.com

1.4. Emergency telephone number

Korea

+ 82 2 3772-5733

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s) Not Classified

Signal Words Not Classified

2.3. GHS Hazard Statements

Not classified.

2.4. GHS Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified



DRAGON SG 20W50

Date of the previous version: 2015-01-08

Revision Date: 2018-04-25

Version 2

2.5. Other hazards

Physical-Chemical Properties

Contaminated surfaces will be extremely slippery.

Environmental properties

Should not be released into the environment

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>3.1. Mixture</u>

Chemical Name	CAS-No	EC-No	Weight %
Severely hydrogenated heavy paraffinic distillate	64742-54-7	265-157-1	>83.0
Mixed Performance Additive	Mixture	-	5.0 ~ 10.0
Viscosity Modifier Additive	Mixture	-	5.0 ~ 10.0
Polymer Esters of Methacrylic Acid and Mixed Mixed long chain Alcohols	Mixture	-	0.005 ~ 0.15

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.	
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.	
Inhalation	Move to fresh air.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
4.2. Most important symptoms an Eye contact	nd effects, both acute and delayed Not classified.	
Eye contact	Not classified. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be	

4.3. Indication of immediate medical attention and special treatment needed, if necessary



DRAGON SG 20W50

Date of the previous version: 2015-01-08	Revision Date: 2018-04-25 Version		
Notes to physician	Treat symptomatically.		
5. FIRE-FIGHTING MEASURES			
5.1. Extinguishing media			
Suitable extinguishing media	CO2, dry chemical, dry sand, alcohol-resistant foam.		
Unsuitable extinguishing media	No information available		
5.2. Special hazards arising from	the substance or mixture		
Special Hazard	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These maybe highly dangerous if inhaled in confined spaces or at high concentration.		
5.3. Advice for fire-fighters			
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.		
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
6. ACCIDENTAL RELEASE MEASU			
	JRE5		
	tive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.		
6.1. Personal precautions, protec	Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all		
6.1. Personal precautions, protec	Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all		
6.1. Personal precautions, protec General Information 6.2. Environmental precautions General Information	 Etive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. 		
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information	Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.		
 6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for condition Methods for containment 	 be tive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. material number of the collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). 		
 6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for containment Methods for containment 6.4. Reference to other sections 	 be tive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. material number of the collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). 		
6.1. Personal precautions, protect General Information 6.2. Environmental precautions General Information 6.3. Methods and material for cor	 Extive equipment and emergency procedures Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained. Intainment and cleaning up Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. 		



DRAGON SG 20W50

Date of the previous version: 2015-01-08	Revision Date: 2018-04-25	Version 2	
7.1. Precautions for safe handlin	9		
Advice on safe handling	When using, do not eat, drink or smoke. For personal prote Use only in well-ventilated areas. Do not breathe vapors or contact with skin, eyes and clothing.		
Prevention of fire and explosion	Take precautionary measures against static discharges. Gr containers, tanks and transfer/receiving equipment.	ound/bond	
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.		
7.2. Conditions for safe storage,	including any incompatibilities		
Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep Keep container tightly closed. Keep preferably in the origina Otherwise reproduce all indication of the regulation label or Do not remove the hazard labels of the containers (even if Design the installations in order to avoid accidental emission seal breakage, for example) onto hot casings or electrical of functional design and the product former to avoid accidental emission seal breakage, for example) onto hot casings or electrical of functional design and the product former to avoid accidental emission functional design and the product former to avoid accidental emission functional design and the product former to avoid accidental emission for the product former to avoid accidental emission and the product former to avoid accidental emission for the product former to avoid accidental emission and the product former to avoid accidental emission accidental emission and the product former to avoid accidental emission accidental emission accidental emission accidentation accident	al container. the new container. they are empty). ons of product (due to	

frost, heat and sunlight. Protect from moisture.

Strong oxidizing agents.

Materials to Avoid

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limits	oil mist : 10mg/m ₃ , for 15 minutes; oil mist : 5mg/m ₃ , for 8 hours
Legend	See section 16.
8.2. Exposure controls	
Occupational Exposure Controls	
Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
Personal Protective Equipment	
General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
Eye Protection	If splashes are likely to occur, wear:. Safety glasses with side-shields.



DRAGON SG 20W50

Date of the previous version: 2015-01-08		Revision Date: 2018-04-25	Version 2
Skin and body protection	Wear suitable p	protective clothing. Protective shoes or boots. Long	sleeved clothing.
Hand Protection Hydrocarbon- instructions re supplier of the which the pro- mixed with oth		proof gloves. Fluorinated rubber. Nitrile rubber. Please garding permeability and breakthrough time which a gloves. Also take into consideration the specific loca uct is used, such as the danger of cuts, abrasion. If er substances, and under conditions which differ fro EC approved gloves.	re provided by the al conditions under used in solution, or
Environmental exposure controls	<u>5</u>		
General Information	The product sh	ould not be allowed to enter drains, water courses o	or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		Yellow to amber liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range Flash point	<u>Values</u> >240 ℃ >493 °F	<u>Remarks</u> Not applicable Not applicable	<u>Method</u> Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow	881 kg/m ³ Negligible	No information available No information available No information available No information available @ 15 °C Insoluble No information available No information available	
Autoignition temperature Viscosity, kinematic Explosive properties Oxidizing Properties Possibility of hazardous reactions	>250 °C 174.7 mm ² /s 19.39 mm ² /s Not explosive Not applicable Not applicable	@ 40 °C @ 100 °C	

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability.

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions

None under normal processing.

10.4. Conditions to Avoid



DRAGON SG 20W50

Date of the previous version: 2015-01-08

Revision Date: 2018-04-25

Version 2

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Product None under normal use.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	No information available.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Mixed Performance Additive	LD50 > 10000mg/kg (Rat)	LD50 > 2000mg/kg (Rabbit)	
Viscosity Modifier Additive	LD50 > 5000mg/kg (Rat)	LD50 > 2000mg/kg (Rat)	

Sensitization

Sensitization	Not classified as a sensitizer.
Specific effects	
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	
Target Organ Effects (STOT)	No information available.
Other information	
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).



DRAGON SG 20W50

Date of the previous version: 2015-01-08

Revision Date: 2018-04-25

Version 2

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Toxicity to microorganisms
Mixed Performance Additive	-	EC50 10-100mg/L Chronic 1-10mL	LC50 10-100mg/L	-
Viscosity Modifier Additive	-	-	LC50 > 1000mL	EC50 > 1000mL

Effects on terrestrial organisms No information available.

12.2. Persistence and degradability

Chemical Name	Biodegradation
Mixed Performance Additive	Min 25% (OECD 301, 302)
Viscosity Modifier Additive	Min 25% (OECD 301, 302)

General Information

No information available.

12.3. Bioaccumulative potential

Product Information	No information available.
logPow	No information available

Component Information

Chemical Name	Bioaccumulative
Mixed Performance Additive	1 - 10% (Based on octanol/water coefficients)
Viscosity Modifier Additive	Min 1% (Based on octanol/water coefficients)

12.4. Mobility in soil

Soil	Given its physical and chemical characteristics, the product generally shows low soil mobility.
Air	Loss by evaporation is limited.
Water	Insoluble. The product spreads on the surface of the water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information

No information available

13. DISPOSAL CONSIDERATIONS



DRAGON SG 20W50

Date of the previous version: 2015-01-08Revision Date: 2018-04-25Version 2

13.1. Waste treatment me	ethods		
Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.		
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.		
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.		
14. TRANSPORT INFORMATION			
ADR/RID	Not regulated		
IMDG/IMO	Not regulated		
ICAO/IATA	Not regulated		

15. REGULATORY INFORMATION

<u>15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture</u>

Not regulated

International Inventories

ADN

EINECS/ELINCS TSCA KECL Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances

Further information 15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section 8			
+	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen



DRAGON SG 20W50

Date of the previous version: 2015-01-08		Revision Date: 2018-04-25		Version 2	
M:	Mutagen		R:	Toxic to reproduction	
Revision Date: Revision Note		2018-04-25 *** Indicates updated	l section.		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by theuser that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet