

S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17

Revision Date: 2017-02-17

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product nameS-OIL GEAR LUBE 460Pure substance/mixtureMixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

Gear oil.

1.3. Details of the supplier of the safety data sheet

Supplier S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul 121-805, Korea

For further information, please contact:

1.4. Emergency telephone number

Korea

+ 82 2 3772-5733

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s)	Not Classified
Signal Words	Not Classified

2.3. GHS Hazard Statements

Not Classified

2.4. GHS Precautionary Statements

Prevention	Not Classified
Response	Not Classified
Storage	Not Classified
Disposal	Not Classified

2.5. Other hazards

Physical-Chemical Properties	Contaminated surfaces will be extremely slippery.
Environmental properties	Should not be released into the environment



S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17

Revision Date: 2017-02-17

Version 1

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Mixture

Chemical Name	CAS-No	EC-No	Weight %
Residual oils (Petroleum), Hydrotreated	64742-57-0	-	> 95.0
Mixed Performance Additive	-	-	1.0 ~ 5.0
Antifoaming Additive	-	-	< 0.1
Pour Point Depressant	-	-	< 1.0

Additional information

Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

4. FIRST AID MEASURES

4.1. Description of first-aid measures

General advice	IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.	
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.	
Skin contact	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.	
Inhalation	Move to fresh air.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.	
4.2 Most important symptoms and effects, both acute and delayed		

4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Not classified.
Skin contact	Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.
Inhalation	Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam.



S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17	Revision Date: 2017-02-17	Version 1	
Unsuitable extinguishing media	No information available		
5.2. Special hazards arising from	the substance or mixture		
Special Hazard	Incomplete combustion and thermolysis may produce gases o such as carbon monoxide, carbon dioxide, various hydrocarbo and soot. These maybe highly dangerous if inhaled in confined high concentration.	ns, aldehydes	
5.3. Advice for fire-fighters			
Special protective equipment for fire- fighters	Wear self-contained breathing apparatus and protective suit.		
Other information	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.		
6. ACCIDENTAL RELEASE MEASU	JRES		
6.1. Personal precautions, protec	tive equipment and emergency procedures		
General Information	Do not touch or walk through spilled material. Contaminated su extremely slippery. Use personal protective equipment. Ensure adequate ventilation sources of ignition.		

6.2. Environmental precautions

General Information	Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
6.3. Methods and material for con Methods for containment	Dam up. Contain spillage, and then collect with non-combustible absorbent
	material, (e.g.sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
6.4. Reference to other sections	
Personal Protective Equipment	See Section 8 for more detail.

Waste treatmentSee section 13.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the Version GHS



S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17 Rev

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Revision Date: 2017-02-17

Version 1

risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feedingstuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.
7.3. Specific end uses	

8.1. Control parameters **Exposure limits** oil mist : 10mg/m₃, for 15 minutes; oil mist : 5mg/m₃, for 8 hours See section 16. Legend 8.2. Exposure controls **Occupational Exposure Controls Engineering Measures** Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. **Personal Protective Equipment General Information** If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. When workers are facing concentrations above the exposure limit they must use Respiratory protection appropriate certified respirators. Respirators with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses. **Eye Protection** If splashes are likely to occur, wear:. Safety glasses with side-shields. Skin and body protection Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing. Hand Protection Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls



S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17

Revision Date: 2017-02-17

Version 1

General Information

The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color Physical State @20°C Odor		Light yellow liquid Characteristic	
<u>Property</u> pH Boiling point/boiling range	<u>Values</u>	<u>Remarks</u> Not applicable Not applicable	<u>Method</u>
Flash point	316 °C 600 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate Flammability Limits in Air Vapor Pressure Vapor density Density Water solubility Solubility in other solvents logPow Autoignition temperature Viscosity, kinematic	898 kg/m ₃ Negligible 31.43 mm ² /s 469.2 mm ² /s	No information available No information available No information available No information available @ 15 °C Insoluble No information available No information available No information available @ 100 °C @ 40 °C	
Explosive properties Oxidizing Properties Possibility of hazardous reactions	Not explosive Not applicable Not applicable		

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information

No information available.

10.2. Chemical stability

Stability.

Stable under recommended storage conditions.

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing.

10.4. Conditions to Avoid

Conditions to Avoid

10.5. Incompatible Materials

Materials to Avoid S

Strong oxidizing agents.

10.6. Hazardous Decomposition Products



S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17

Revision Date: 2017-02-17

Version 1

Hazardous Decomposition Product None under normal use.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact	. Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent. LD50 > 200mg/kg (Rat, Dermal), Practically non-toxic.
Eye contact	. Not classified.
Inhalation	. Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.
Ingestion	. LD50 > 5000mg/kg (Rat, Oral), Practically non-toxic.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Mixed Performance Additive	ATEmix 5000 - 10000mg/kg	-	-
Pour Point Depressant	LD50 > 2000mg/kg (Rat)	LD50 > 2000mg/kg (Rabbit)	-

Sensitization

Sensitization	Not classified as a sensitizer.
Specific effects	
Carcinogenicity Mutagenicity Reproductive toxicity	This product is not classified carcinogenic. This product is not classified as mutagenic. This product does not present any known or suspected reproductive hazards.
Repeated Dose Toxicity	
Subchronic toxicity	No information available.
Target Organ Effects (STOT)	
Target Organ Effects (STOT)	No information available.
Other information	
Other adverse effects	Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

No information available



S-OIL GEAR LUBE 460

Date of the previous version: 201	17-02-17	Revision Date: 2017-02-17	Version 1
Effects on terrestrial organisms	No information availa	ble.	
12.2. Persistence and degradability			
General Information	No information availa	ble.	
12.3. Bioaccumulative potential			
Product Information	No information availa	ble.	
logPow	No information availa	ble	
Component Information	No information availa	ble.	
<u>12.4. Mobility in soil</u>			
Soil	Given its physical and mobility.	d chemical characteristics, the product generally shows	low soil
Air	Loss by evaporation i	s limited.	
Water	Insoluble. The produc	t spreads on the surface of the water.	
12.5. Results of PBT and vPvB assessment			
PBT and vPvB assessment	No information availa	ble.	

12.6. Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EWC Waste Disposal No.	The following Waste Codes are only suggestions:. 13 01 10. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION		
ADR/RID	Not regulated	
IMDG/IMO	Not regulated	
ICAO/IATA	Not regulated	
ADN	Not regulated	



S-OIL GEAR LUBE 460

Date of the previous version: 2017-02-17

Revision Date: 2017-02-17

Version 1

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

EINECS/ELINCS TSCA KECL Legend EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory KECL - Korean Existing and Evaluated Chemical Substances

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section 8	Sensitizer	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction
Revision Date: Revision Note	2017-02-17 *** Indicates updated section.		

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet