



S-OIL MARINE TP 30 Series

MEDIUM-SPEED TRUNK-PISTON DIESEL ENGINE OIL

Product Description

S-OIL Marine TP Series are Trunk Piston Engine Oil Series for crankcase lubrication requirements of high-output medium speed engines and other similar marine type application. They are formulated from solvent-refined paraffin thermally stable base oils, combined with an effective additive package providing enhanced load-carrying ability, efficient oxidation stability and effective dispersancy/detergency. They provide effective acid neutralization and alkalinity retention in service, even when high-Sulphur fuel is used. They are capable to handle heavy residual fuels with high asphalt content.

Applications

- S-OIL Marine TP Series are primarily recommended for use in high-output trunk piston marine diesel engines operating on heavy residual fuels. (Sulphur up to 2.0%)

Features and potential benefits

- Excellent TBN retention, with low oil consumption
- Cleaner piston, ports and cylinders, thus extending overhauls
- Fast separation from water in case of water contamination
- Low under crown deposits
- Controls sludge formation, thus increasing oil filter life and reduces cleaning frequencies

Performance level

- SAE 30, 40

Typical Properties

Test Items	SAE Grade		Unit	SAE 30	SAE 40
	Method			TP 3030	TP 3040
Specific gravity	ASTM D1298		-	0.8909	0.8948
Viscosity	ASTM D445		cSt	93.06	125.6
	ASTM D445		cSt	11.42	14.02
Viscosity index	ASTM D2270		-	111	110
Flash point	ASTM D92		°C	246	258
Pour point	ASTM D97		°C	-16.0	-14.0
Sulfated Ash	ASTM D874		wt%	3.8	3.8
TBN	ASTM D2896			30	30

S-OIL CORPORATION
192, Baekbeom-ro, Mapo-gu,
Seoul, 04196, Korea

S-OIL MARINE TP
2017.03.22.



This lubricant used as recommended and for the application for which it has been designed does not present any particular risk. A material safety data sheet is obtainable via your commercial adviser.