

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name S-OIL SEVEN SUPER COOLANT
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use

1.3. Details of the supplier of the safety data sheet

Supplier S-OIL CORPORATION
192, Baekbeom-ro, Mapo-gu,
Seoul 04196, Korea

Manufacturer KUKDONG JEYEN CO.,LTD (Tel : 82 (31) 680-0505)

For further information, please contact:

Contact Point HSSEQ
E-mail Address dolyoo@s-oil-total.com

1.4. Emergency telephone number

Korea + 82 2 3772-5655

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification
Specific target organ toxicity - repeated exposure - Category 2

2.2. Label elements

GHS label elements, including precautionary statements

Symbol(s)



Signal Words

Warning

Hazard statement

H373 May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

2.3. GHS Precautionary Statements

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

MATERIAL SAFETY DATA SHEET**S-OIL SEVEN SUPER COOLANT**

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

Response

P314 IF exposed or concerned: Get medical advice/attention.

Disposal

P501 Dispose of contents/container to follow the relevant regulations

2.4. Other hazards**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.**Environmental properties** Should not be released into the environment**3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1. Mixture

Chemical Name	CAS-No	EC-No	Weight %
ETHYLENE GLYCOL	107-21-1	-	90.0 ~95.0
WATER	7732-18-5	-	3.0 ~8.0
POTASSIUM PHOSPHATE DIBASIC	7758-11-4	-	0.5~1.5

Additional information No information available.**4. FIRST AID MEASURES**4.1. Description of first-aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. High pressure jets may cause skin damage. In this case, the casualty should be sent immediately to hospital.

Inhalation Move to fresh air.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified.

Skin contact Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.

Inhalation Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media CO2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable extinguishing media No information available

5.2. Special hazards arising from the substance or mixture

Special Hazard Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.

5.3. Advice for fire-fighters

Special protective equipment for fire-fighters Wear self-contained breathing apparatus and protective suit.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Do not touch or walk through spilled material. Contaminated surfaces will be extremely slippery. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.

6.2. Environmental precautions

General Information Do not allow material to contaminate ground water system. Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and material for containment and cleaning up

Methods for containment Dam up. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal Protective Equipment See Section 8 for more detail.

Waste treatment See section 13.

7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

7.1. Precautions for safe handling

Advice on safe handling	When using, do not eat, drink or smoke. For personal protection see section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist. Avoid contact with skin, eyes and clothing.
Prevention of fire and explosion	Take precautionary measures against static discharges. Ground/bond containers, tanks and transfer/receiving equipment.
Hygiene measures	Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions	Keep away from food, drink and animal feeding stuffs. Keep in a bunded area. Keep container tightly closed. Keep preferably in the original container. Otherwise reproduce all indication of the regulation label on the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.
Materials to Avoid	Strong oxidizing agents.

7.3. Specific end uses

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits	TWA : C125mg/m ³ , C50 ppm STEL oil mist : C100mg/m ³ , C50 ppm ACGIH : C100mg/m ³ , Aerosol only
------------------------	--

Legend	See section 16.
---------------	-----------------

8.2. Exposure controls

Occupational Exposure Controls

Engineering Measures	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
-----------------------------	--

Personal Protective Equipment

General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
----------------------------	--

Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.
-------------------------------	---

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

Eye Protection	If splashes are likely to occur, wear: Safety glasses with side-shields.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Long sleeved clothing.
Hand Protection	Hydrocarbon-proof gloves. Fluorinated rubber. Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

Environmental exposure controls

General Information The product should not be allowed to enter drains, water courses or the soil.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Color		Green	
Physical State @20°C		liquid	
Odor		Characteristic	
Property	Values	Remarks	Method
pH	7.0 - 8.0		
Boiling point/boiling range		Not applicable	
Flash point	111 °C 232 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC)
Evaporation rate		No information available	
Flammability Limits in Air		No information available	
Vapor Pressure		No information available	
Vapor density		No information available	
Density	1130 - 1140 kg/m ³	@ 15 °C	
Water solubility	Soluble	Insoluble	
Solubility in other solvents		No information available	
logPow		No information available	
Autoignition temperature	>390 °C		
Viscosity, kinematic	36.01 mm ² /s	@ 15 °C	
Explosive properties	Not explosive		
Oxidizing Properties	Not applicable		
Possibility of hazardous reactions	Not applicable		

9.2. Other information

10. STABILITY AND REACTIVITY

10.1. Reactivity

General Information No information available.

10.2. Chemical stability

Stability. Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous Reactions None under normal processing.

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

10.4. Conditions to Avoid

Conditions to Avoid Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible Materials

Materials to Avoid Strong oxidizing agents.

10.6. Hazardous Decomposition Products

Hazardous Decomposition Product None under normal use.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity Local effects Product Information

Skin contact . Not classified. High pressure injection of the products under the skin may have very serious consequences even though no symptom or injury may be apparent.

Eye contact . Not classified.

Inhalation . Not classified. Inhalation of vapors in high concentration may cause irritation of respiratory system.

Ingestion . LD50 > 5000mg/kg (Rat, Oral), Practically non-toxic.
 . LD50 > 5000mg/kg (Rabbit, Dermal), Practically non-toxic.

Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ETHYLENE GLYCOL	LD50 7712mg/kg (Rat)	LD50 3500mg/kg (Rabbit)	LC50 2.5mg/L (6hr, Rat - Mist)
WATER	LD50 > 4000mg/kg (Rat)	LD50 > 2,000mg/kg (Rabbit)	-
POTASSIUM PHOSPHATE DIBASIC	LD50 > 1700mg/kg (Rat)	-	-

Sensitization

Sensitization

Specific effects

Carcinogenicity This product is not classified carcinogenic.
Mutagenicity This product is not classified as mutagenic.
Reproductive toxicity This product does not present any known or suspected reproductive hazards.

Repeated Dose Toxicity

Subchronic toxicity No information available.

Target Organ Effects (STOT)

Target Organ Effects (STOT) No information available.

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

Other information

Other adverse effects Characteristic skin lesions (pimples) may develop following prolonged and repeated exposures (contact with contaminated clothing).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Acute aquatic toxicity - Product Information

No information available.

Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish
ETHYLENE GLYCOL	LC50 6500~13000mg/L (96hr, Selenastrum capricornutum - EPA 600/9-78-018)	LC50 Min 100mg/L (48hr, Daphnia magna - OECD 202)	LC50 72860mg/L (96hr, Pimephales promelas)
POTASSIUM PHOSPHATE DIBASIC	LC50 6920000000mg/L (96hr)	LC50 1730000000mg/L (48hr)	LC50 2770000000mg/L (96hr)

Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

No information available.

Effects on terrestrial organisms No information available.

12.2. Persistence and degradability

General Information No information available.

Chemical Name	Persistence and degradability
ETHYLENE GLYCOL	Persistence : log Kow - 1.93 Degradability : BOD 0.78mg/L
WATER	Persistence : log Kow - 1.38 Degradability : No information available
POTASSIUM PHOSPHATE DIBASIC	Persistence : log Kow - 1.38 Degradability : No information available

12.3. Bioaccumulative potential

Product Information No information available.

logPow No information available

Component Information No information available.

12.4. Mobility in soil

Soil Given its physical and chemical characteristics, the product generally shows low soil mobility.

Air Loss by evaporation is limited.

Water Insoluble. The product spreads on the surface of the water.

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

General Information No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products Should not be released into the environment. Do not empty into drains. Dispose of in accordance with all applicable national environmental laws and regulations. Where possible recycling is preferred to disposal or incineration.**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.**Other information** Refer to section 8 for safety and protective measures for disposal personnel.

14. TRANSPORT INFORMATION

ADR/RID Not regulatedIMDG/IMO Not regulatedICAO/IATA Not regulatedADN Not regulated

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Legend

Further information

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available

16. OTHER INFORMATION

Abbreviations, acronyms

Legend Section 8

+ Sensitizer
** Hazard Designation*
C:Skin designation
Carcinogen

MATERIAL SAFETY DATA SHEET

S-OIL SEVEN SUPER COOLANT

Date of the previous version: 2019-06-19

Revision Date: 2019-06-19

Version 1

M: Mutagen R: Toxic to reproduction

Revision Date: 2019-06-19
Revision Note: *** Indicates updated section.

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

End of the safety data sheet