

Product Description

S-OIL 7 TRACTOR FLUID PLUS is top-tier UTTO (Universal Tractor Transmission Oil) for use in transmission, hydraulic system, reduction gears, clutch and wet brakes equipped in agricultural equipment. It provides satisfactory performance for leading agricultural equipment manufacturers' requirements.

Applications

- O Transmissions with wet brakes requiring an API GL-4 performance and mobile hydraulic system
- O Agricultural tractors and associated equipment requiring THF and UTTO lubricants
- O Heavy-duty off highway equipment's power shift, final drive, wet brake and hydraulic system
- $\ensuremath{ O}$ Not to be used as an engine oil

Features and Potential Benefits

- Selected friction modifier provides excellent operation of wet brake and helps to reduce vibration, stick slip, squawk and noise during operation
- Provides excellent gear wear protection to maintain hydraulic system performance and inhibit oxidation for ensuring fluid life
- O Good oxidation prevention performance reduces the formation of sludge, gums, deposit and varnish and maintains optimal viscosity and oil film thickness

Performance Level

 Recommended for use where the following specifications are called for : API GL-4, Allison C4, Caterpillar TO-2, CASE MS 1210, New Holland CNH MAT 3540/3505/3525, FENDT, FNHA-2-C-200.00/201.00, John Deere JDM J20C/D, Kubota UDT Fluid, VALTRA G2-08, VCE WB 101/102, ZF TE-ML 03E/05F/06E/06F/06K/17E/21F, Ford ESN-M2C86-B/C/M2C134-D, Massey Ferguson CMS M1135/1141/1143/1145

Typical Properties

Test Items		Method	Unit	Properties
Specific Gravity		ASTM D1298	-	0.876
Viscosity	40° C	ASTM D445	cSt	65.3
	100°C	ASTM D445	cSt	10.5
Viscosity Index		ASTM D2270	-	148
Flash Point		ASTM D92	°C	236
Pour Point		ASTM D97	°C	-43

S-OIL CORPORATION 192, Baekbeom-ro, Mapo-gu, Seoul, 04196, Korea	
--	--

This lubricant used recommended and for the application for which it has been designed does not present any particular risk.

A material safety data sheet is obtainable via your commercial adviser.